



MARMOXAN
Solid Surface Solution



Solid Surface Solution

Solid Surface Solution



MARMOXAN

Solid Surface Solution

MARMOXAN – the solid surface material

MARMOXAN surfaces are silky smooth to the touch yet solidly durable. Available in many thicknesses and in sizes up to 6 square metres, the panels can be glued, frothed and cupped. Their multi-colour graining is perfectly suited for interior fitting, for industrial, commercial and public buildings, as well as for residential kitchens and bathrooms

What is MARMOXAN ?

MARMOXAN is a technically processed mineral material of aluminium hydroxide bound with acrylic. By using different sizes of particles and colour pigments, Marmoxan can be produced unichrome or in different grain sizes and colours. Structure and colour are homogenous throughout the entire material thickness

MARMOXAN is available in a wide variety of colours, and also permits the composition of customised colours

What can MARMOXAN do ?

MARMOXAN is food-safe, hypo-allergenic and resistant against many chemical substances. The surface of Marmoxan is non-porous and hygienic. Dirt, moisture and bacteria cannot penetrate the material. If scratches or irregularities should occur on the surface, they can be removed with abrasive slurry (e.g. Scotch Brite)

Through sanding and polishing, the surface's finish can range from matte to high-gloss. Slab joints and moulded parts can be glued and sanded, making seams nearly invisible

Along with gluing and surface processing, Marmoxan is also thermo-formable

With the Marmoxan Colours of TR-series, light can penetrate the surface, thus creating a three-dimensional effect



U 210/11

U 210/10



U 210/15



U 210/20



U 210/18



As 1012



As 1002




As 3010



TR 210/09



TR 1002



TR 3009



TR 1013



SU 210/05



SU 3009



SU 5005



SU 210/06



SU 1013



SU 210/09



SU 1007



SU 210/13



SU 3013



SU 210/11



SU 5013



SU 210/17





Furthermore, Marmoxan possesses a degree of transparency that, particularly with sufficient material thickness and light colours, can be used for effects of background illumination

Marmoxan can be sawed, milled, grilled and sanded with machines commonly used by carpenters and joiners

Range of applications for MARMOXAN

MARMOXAN is a top-quality material for commercial, industrial and residential applications in high-end interior construction. It is equally appropriate as a used surface or as a design element. Marmoxan combines the best properties of lumber, natural stone and plastic in one material, providing many new possibilities in terms of design and function. Seamless gluing and formability of the material offer new perspectives, even in areas of where the application of other materials is very limited

In addition, the seamless inner and outer edges of Marmoxan surfaces offer an obvious hygiene advantage. The accumulation of dirt and bacteria is clearly reduced

Signs of wear can be quickly removed, and damages easily repaired

The opportunities for architects and designers are practically unlimited

MARMOXAN is more than a surface material

MARMOXAN is a product system with perfectly matching components. Due to flexible production technology, even small lots of 6-mm and 11-mm thick slabs – along with those of standard dimensions – can be delivered in special dimensions ranging from 2,050 x 760 mm to 4,100 x 1,250 mm

Compact slabs with 40 mm total thickness are perfectly suited for all horizontal applications

The supplementary strip can be used to construct further edges and wall connections

Furthermore, the range of MARMOXAN covers washstands, sinks as well as basins for a variety of application environments.



We Serve Globally

